



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com


Performance Data For HD Series Pump

Model ID70A DI



Iron Construction

standard clearance



3 x 2" Std. Port Size





Viscosity: 1 cst




Viscosity: 21 cst



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com




Performance Data For HD Series Pump

Model ID70A DI

Iron Construction

standard clearance

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A DI



Iron Construction

hot clearance



3 x 2" Std. Port Size





Viscosity: 1 cst




Viscosity: 21 cst



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com




Performance Data For HD Series Pump

Model ID70A DI

Iron Construction

hot clearance

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A DI



Iron Construction

chocolate clearance



3 x 2" Std. Port Size





Viscosity: 21 cst




Viscosity: 100 cst



Viscosity: 1,000 cst



Viscosity: 10,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com


Performance Data For HD Series Pump

Model ID70A DI



Iron Construction

chocolate clearance


3 x 2" Std. Port Size



Viscosity: 100,000 cst



Viscosity: 1,000,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A DI



Iron Construction

latex clearance



3 x 2" Std. Port Size





Viscosity: 21 cst




Viscosity: 100 cst



Viscosity: 1,000 cst



Viscosity: 10,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com



Performance Data For HD Series Pump

Model ID70A DI

Iron Construction

latex clearance

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A DI



Iron Construction

std clearance lobe, choc clearance hub



3 x 2" Std. Port Size





Viscosity: 1 cst




Viscosity: 21 cst



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com




Performance Data For HD Series Pump

Model ID70A DI

Iron Construction

std clearance lobe, choc clearance hub

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A SS



Stainless Steel Construction

standard clearance



3 x 2" Std. Port Size





Viscosity: 1 cst




Viscosity: 21 cst



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com




Performance Data For HD Series Pump

Model ID70A SS

Stainless Steel Construction

standard clearance

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com


Performance Data For HD Series Pump

Model ID70A SS



Stainless Steel Construction

hot clearance



3 x 2" Std. Port Size





Viscosity: 1 cst




Viscosity: 21 cst



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com




Performance Data For HD Series Pump

Model ID70A SS

Stainless Steel Construction

hot clearance

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A SS



Stainless Steel Construction

chocolate clearance



3 x 2" Std. Port Size





Viscosity: 21 cst




Viscosity: 100 cst



Viscosity: 1,000 cst



Viscosity: 10,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com


Performance Data For HD Series Pump

Model ID70A SS



Stainless Steel Construction

chocolate clearance


3 x 2" Std. Port Size



Viscosity: 100,000 cst



Viscosity: 1,000,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A SS



Stainless Steel Construction

latex clearance



3 x 2" Std. Port Size





Viscosity: 21 cst




Viscosity: 100 cst



Viscosity: 1,000 cst



Viscosity: 10,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com



Performance Data For HD Series Pump

Model ID70A SS

Stainless Steel Construction

latex clearance

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthill.com


Performance Data For HD Series Pump

Model ID70A SS



Stainless Steel Construction

std clearance lobe, choc clearance hub



3 x 2" Std. Port Size





Viscosity: 1 cst




Viscosity: 21 cst



Viscosity: 100 cst



Viscosity: 1,000 cst



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road
 Alsip, Illinois USA 60803
 Tel 708 389-2500 Fax 708 388-0869
 email: tuthillpump@tuthill.com
 www.tuthill.com

Tuthill Pump Group
 12500 South Pulaski Road
 Alsip, Illinois 60803
 USA
 Phone: 708-389-2500
 Fax: 708-388-0869
 tuthillpump@tuthill.com
 www.tuthillpump.com




Performance Data For HD Series Pump

Model ID70A SS

Stainless Steel Construction

std clearance lobe, choc clearance hub

3 x 2" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0
 Created on
 November 30, 2000